
Bid Document

for

General and Lab Equipment Bhutan Livestock Development Corporation Limited



Requested by:

Bhutan Livestock Development Corporation Limited

Box: 2078, Namtog Lam, Khangkhulu, Thimphu, Bhutan

Telephone No: +975 02 -365520


Website: https://www.bhutanlivestock.bt/





Corporate Head Office







BLDCL/GEN-13/2025/016

January 10, 2025

Bhutan Livestock Development Corporation Limited

Bhutan Livestock Development Corporation Limited is pleased to invite National bidders for the Supply of General and Lab Equipment for the Year 2025. Interested bidders may purchase a complete set of bidding documents in English from the Procurement Unit, located at Namtog Lam, Khangkhulu, Thimphu, during office working hours (Monday to Friday, 9.00 AM-1:00 PM and 02:00 PM to 5:000 PM) starting from January 13, 2025. The cost of the document is Nu.500.00 (Ngultrum Five hundred only), which is non-refundable. Alternatively, the tender documents can also be downloaded from the official website: https://www.bhutanlivestock.bt/. Tender documents downloaded from the website must be accompanied by the payment of the tender fee and registered on the submission date. The Bid must be submitted or delivered to the address "The Chief Executive Officer, Bhutan Livestock Development Corporation Limited, Namtog Lam, Khangkhulu, Thimphu" at or before 11:00 am (BST) on January 31, 2025. Electronic bidding "shall not" be permitted. Late Bids will be rejected. Bids will be opened physically on the same day, January 31, 2025, at 02:30 PM (BST) in the presence of the bidder's representatives who chose to attend.


For any queries, please contact the Procurement Officer at 02-365520 during office hours (9.00 AM to 1:00 PM and 2:00 PM to 5:000 PM)

Management





Corporate Head Office





"Inspiring the growth of livestock entrepreneurs"

A. General Terms and Conditions:

- 1. The Bid must be submitted at or before January 31, 2025, at 11:00 am (BST) to the Bhutan Livestock Development Corporation Limited and the bids shall be opened on the same day at 2:30 pm (BST)
- 2. Any bid received after the deadline for submission of bids prescribed by the BLDCL, shall be declared as "late" and shall be returned unopened to the bidder.
- 3. The bidders shall submit a copy of
 - valid licenses
 - Tax clearance
 - other necessary documents along with the bids.
- 4. The Bidders shall submit the duly filled and completed Integrity Pact along with the bidding document. The bid shall be considered incomplete if the Integrity Pact is not submitted with the bidding documents.
- 5. The Bidder's rate must be quoted for delivery at Bhutan Livestock Development Corporation Limited, Namtog Lam, Khangkhulu, Thimphu, Bhutan. The rate quoted should be valid for a period of one (1) year from the date of award of work and must be inclusive of freight, insurance, charges, levies, and taxes.
- 6. The BLDCL reserves the right to increase or decrease the quantity of items tendered at the time of placing the supply order, without any change in the price or other terms and conditions.
- 7. The BLDCL reserves the right to call quotations and receive the same in the form of email or fax, directly from the manufacturers in India and other countries and compare the rates with those offered by the local suppliers. If need be, BLDCL reserves the right to purchase the items directly from the manufacturer without assigning any reason thereof.
- 8. If the successful bidder fails to supply the materials as specified in the supply order, BLDCL shall cancel the order for the quantity not supplied and source it from other firms for immediate requirement. However, the BLDCL shall recover the difference between the contract rate and the actual price paid to the other firms as liquidated damages from the supplied bill amount.

BoxNo. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldcll7@gmail.com

Website: http://www.bhutanlivestock.bt



Corporate Head Office



"Inspiring the growth of livestock entrepreneurs"



- 9. The bid shall be accompanied by a bid security of Nu. 5,000.00 in the form of a Demand Draft, Cash Warrant, or unconditional Bank Guarantee valid not less than 90 days from the date of bid submission drawn in favor of Bhutan Livestock Development Corporation, Thimphu, and the same shall be returned on finalization of the Bids. Any bid not accompanied by bid security shall be treated as non-responsive.
 - In case if a Bidder withdraws the bid during the period of bid validity the bid shall be forfeited or if the successful Bidder, to whom the notification of award for the supply is presented, refuses or neglects or fails to furnish the required performances Security, the bid security shall be forfeited.
- 10. The Successful bidder must furnish 10% of the total quoted price as a Performance Security Deposit only in the form of a Demand Draft, Cash Warrant, or Unconditional Bank Guarantee in favor of the Bhutan Livestock Development Corporation Limited, Thimphu before signing a contract with the Bhutan Livestock Development Corporation Limited. This Performance Security Deposit shall be retained for One (1) year and it shall not accrue any interest during the performance of the contract. In case of failure to supply the materials as per the specification/sample, the contract shall be terminated by forfeiting the Performance Security Deposit and second lowest bidder will be asked to supply the goods at his quoted rate. Withdrawal/suspension from supplying after winning the Bid will also result in forfeiture of the Performance Security deposit.
- 11. The Supply of material must be completed within 30 days from the date of issue of the Supply order; failing to supply the goods within the stipulated time, a penalty of 0.1% per day shall be deducted from the bill amount to the maximum of 10% of the total bill value.
- 12. No extension of the supply date shall be entertained without written consent from BLDCL to that effect.
- 13. At the given point in time, the BLDCL reserves the right to reject the inferior quality of the material and require replacing the defective/inferior quality materials at the Supplier's cost. The rejected materials should be lifted by the supplier within a week. After the expiry of the above time period, the BLDCL shall not be responsible for any damage or loss of the material

Email: bldcll7@gmail.com
Website: http://www.bhutanlivestock.bt



ck Development Corporation Limited Corporate Head Office





bldc

from the premises of BLDCL.

- 14. The BLDCL shall communicate the damages/shortages, if any. The Supplier shall be responsible for replacing/rectifying the damages/shortages within a reasonable period of time to the satisfaction of the BLDCL.
- 15. The Payment shall be made within one month by the BLDCL from the date of receipt of the material if no damages/shortages occur.
- 16. The Bank charges for the preparation of the TT/RTGS transfer shall be borne by the supplier.
- 17. The BLDCL and the Supplier shall make every effort to resolve mutually any disagreement or disputes in connection with the contract/supply.
- 18. BLDCL will order as and when required or some items may not be ordered due to changes in circumstances of the company.

19. Sealing and Marking of Bids

The bidders shall seal the original and copy of the bidders in separate envelopes, duly marked as "ORIGINAL" and "COPY." The envelopes shall then be sealed in an outer envelope.

The outer envelopes shall:

- a. Sealed tenders containing the bids shall be marked as Tender for
 - "SUPPLY OF GENERAL AND LAB EQUIPMENT FOR THE YEAR 2025" and submit to the following address:

CHIEF EXECUTIVE OFFICER.

BHUTAN LIVESTOCK DEVELOPMENT CORPORATION LIMITED,

P.O.BOX. NO. 2078,

NAMTOG LAM, KHANGKHULU, THIMPHU, BHUTAN.

- b. The inner envelopes shall also indicate the name and address of the bidder.
- c. If the outer envelope is not sealed and marked as required, the procuring entity will assume no responsibility for the misplacement of the bidders.

20. Evaluation and Award of the Bid

Evaluation will be carried out by the Committee and will be awarded to the bidder offering

Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Teles Email: bldcll7@gmail.com Website: http://www.bhutanlivestock.bt



Corporate Head Office







as per the Specification and not limit to Lowest bid price.

b. The successful bidder will execute an agreement with BLDCL.

21. Dispute and Complaints

- a. Bhutan Livestock Development Corporation Limited shall not entertain any disputes with regard to the item once the tender process is completed and the award is made.
- b. In the event of any disputes arising during the tender process with regard to procedures on the day of tender, the decision of BLDCL Limited Tender Committee shall be final and binding.
- c. Any disputes during the supply contract period, shall dealt as per the Procurement Manual of BLDCL and in accordance with the laws of the Kingdom of Bhutan.

22. Right to Accept, Reject, and Withdraw

- a. BLDCL shall reserve the right to re-tender if the specification is not as per the BLDCL requirement.
- b. BLDCL reserves the right to accept or reject any and/or all bids in the best interest of BLDCL.
- c. This bid expressly limits acceptance to the terms and conditions stated herein. Any additional and/or different terms proposed by the bidder are objected to and hereby rejected.
- d. In case of any dispute or problem with regard to the tender, the decision of the committee will be final and binding.

23. Authority to Debar or Suspend

Reasons for debarment or suspension from participation in future sealed bids include, but are not limited to the following reasons:

- a. Failure to deliver for the item or all items awarded.
- b. Deliberate failure without good cause to perform in accordance with specifications or within the time limit provided.





Corporate Head Office







Lot 1. Supply of General Equipment for the Year 2025

SI. No	Name Of Items	General Specifications	Unit	Rate (Nu.)
1.	Single Wheel Barrow	FEATURES Material: Cast Iron Load Capacity: 50 kg Load Capacity: 100kg	No	
2.	Double Wheel Barrow	FEATURES Material: Cast Iron Load Capacity: 50kg Load Capacity:100kg	No	
3.	Cold Water High Pressure Cleaner	Heavy Duty Continuous Duty Brass Triplex Plunger Pump with Ceramic Coated Pistons Powered by 4KW 5.7HP Heavy duty electric Motor-13LPM water flow 200 Bar Variable Pressure (Operating Pressure 186 Bar) Easy to operate with wheels 3 Phase current, 380 V 50 HZ with inline bigger filter with 3m wire Automatic with powder coating Area covered: 400 square feet Frequency: 50 to 60 Hz Food and dairy processing facilities Convenience food retailers Commercial premises	Set	
4.	Weighing Scale	Display Type: Digital, LED or LCD with alphanumerical Operation: Rechargeable Battery Operated Weighing Capacity: 1 to 100 Kg	No No	
5.	Digital Weighing Scale	Weighing Capacity: 1 to 500 Kg Use for: Measure the weight of ingredients Special Feature: Non-Slip Platform, Backlit Display, Lightweight, Auto Shut Off, Tare Function Display Type: LED Capacity: 0.01 grm to 5,000 grm	No	

Post Box No. 2978, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520, Email: bldcll7@gmail.com Website: http://www.bhutanlivestock.bt



तर्वा अवस्वारतया करतहर्वा

Bhutan Livestock Development Corporation Limited Corporate Head Office

Thimphu: Bhutan

bldc

"Inspiring the growth of livestock entrepreneurs"

ANOGOVA ENV	g ine grown of necessors entrepresents	I DE LEGICIO DE RECUERTO DE SELECTION DE LEGICIO DE LEG	
PVC Ribbed Curtain	Height: 10 ft Strip Width: 200mm Thickness: 5mm Temperature Range: -30 to +30°C Seal length: 12 inch Suitable for sealing thermo-sealable materiasl like CPE, LDPE, HDPE or PP Voltage: 220V, 50 Hz Battery Power: 40V Battery Run Time: Minimum 60 minutes Blade Type: Double sided Blade Length: 50 to 60 cm, Inclusive: Spare battery Power-240V, 50/60HZ,	Piece	
LPG Heating Torch	Application: Heating for burning, ice melting, etc LPG with cylinder Hose with spare nozzles Pipe extension: 5 meter	No	
Portable Type Fire Extinguisher	Material: Steel or Carbon Steel, Stainless Steel Fire Extinguisher Type: CO2	No	
Grass Cutter	Back pack type, Fuel: petrol with blades and with complete accessories. Engine Power: 2.1 HP Engine Type: 4 Stroke	Set	
Heavy Duty Torch	Rechargeable Searchlight -6000-15W Emergency Light (Black) Rechargeable: Yes Bulb Type LED: High power 15W CREE T6 Water Proof: Yes	Set	
HDPE Crate	Features: NonPerforated plastic body Dimension: 600*400*485 (mm), color: blue, shape Rectangular	Piece	
HDPE Crate	Features: Perforated plastic body Dimension: 600*400*485 (mm), color: blue, shape Rectangular	No	
Infrared Electricity	Measuring the temperature of cold rooms, Refrigerator, deep freezer etc Laser-targeting with ON/OFF switch	No	
	PVC Ribbed Curtain LPG Heating Torch Portable Type Fire Extinguisher Grass Cutter Heavy Duty Torch HDPE Crate HDPE Crate	Strip Width: 200mm Thickness: 5mm Temperature Range: -30 to +30°C Seal length: 12 inch Suitable for sealing thermo-sealable materiasl like CPE, LDPE, HDPE or PP Voltage: 220V, 50 Hz Battery Power: 40V Battery Run Time: Minimum 60 minutes Blade Type: Double sided Blade Length: 50 to 60 cm, Inclusive Spare battery Power-240V, 50/60HZ, Front loading/Feeding Application: Heating for burning, ice melting, etc LPG with cylinder Hose with spare nozzles Pipe extension: 5 meter Material: Steel or Carbon Steel, Stainless Steel Fire Extinguisher Type: CO2 Back pack type, Fuel: petrol with blades and with complete accessories. Engine Power: 2.1 HP Engine Type: 4 Stroke Rechargeable: Yes Bulb Type LED: High power 15W CREE T6 Water Proof: Yes Features: NonPerforated plastic body Dimension: 600*400*485 (mm), color: blue, shape Rectangular Measuring the temperature of cold rooms, Refrigerator, deep freezer etc	Colour: Transparent Yellow or Blue Height: 10 ft Strip Width: 200mm Thickness: 5mm Temperature Range: -30 to +30°C Seal length: 12 inch Suitable for sealing thermo-sealable materiasl like CPE, LDPE, HDPE or PP Voltage: 220V, 50 Hz Battery Power: 40V Battery Run Time: Minimum 60 minutes Blade Type: Double sided Blade Length: 50 to 60 cm, Inclusive: Spare battery Power-240V, 50/60HZ, Front loading/Feeding Application: Heating for burning, ice melting, etc LPG with cylinder Hose with spare nozzles Pipe extension: 5 meter Material: Steel or Carbon Steel, Stainless Steel Fire Extinguisher Type: CO2 Back pack type, Fuel: petrol with blades and with complete accessories. Engine Power: 2.1 HP Engine Type: 4 Stroke Rechargeable Searchlight -6000-15W Emergency Light (Black) Rechargeable: Yes Bulb Type LED: High power 15W CREE T6 Water Proof: Yes Features: NonPerforated plastic body Dimension: 600*400*485 (mm), color: blue, shape Rectangular Features: Perforated plastic body Dimension: 600*400*485 (mm), color: blue, shape Rectangular Measuring the temperature of cold rooms, Refrigerator, deep freezer etc

No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520, Email: bldcll7@gmail.com Website: http://www.bhutanlivestock.bt

Company and a control

Bhutan Livestock Development Corporation Limited

Corporate Head Office



Thimphu: Bhutan "Inspiring the growth of livestock entrepreneurs"

Marrier	IS THE REAL PROPERTY.	Anogova var	y the growin of titestock entrepreneurs	DE LEGICION DE DECEMBRE LA RESPUE CANTON DE TRANS	marker services and make a marker and the services of the serv
		With Laser Pointer	LCD with backlight C/F selectable		
			Automatic Power OFF		
			Display HOLD function		
			Spectral range: 5-14 μm		
			Temperature Range: -50°C to +500°C		
			Accuracy: +/- 2.0°C (3°F) or +/- 2%,		
			whichever is greater		
			Resolution: 0.5°C/F		
			Response Time: 500 m seconds		
			Battery: 1 x 9V		
			Measuring range: -40 300 °C		
			Stainless steel temperature sensor 120		
			mm		
			Foldable sensor		
			Max / Min / Hold function		
	14.	Probe Thermometer	Magnetic holder	No	
			LED light		
			Automatic display alignment		
			IP54		
			To check the temperature of the water,		
			cooked items etc		
			k-466(2368) 6-cutter knives	No	
		Bowl Chopper Parts	K-414(2357) Shaft knives belts	No	
	15.		K-421(2845) Lid gas piston	No	
			K-421(2843) Eld gas piston	110	
			Screwdriver set	No	
			H-242 green silicon/circular profile		
	16.	Filler Machine Spare	H-248 piston Oring	No	
		Parts	rubber hammer		
			Material: Carbon Steel		
			Serrated, designed for left or right-	2.7	
	17.	Kitchen Scissors	handed use	No	
			Multi-purpose use		
			Voltage: 220V, 60 Hz		
		W 05 Campagas	Power: 1,500 W		
	18.	Kac-25 Compressor	Tank Capacity: 25 Liters	No	
	10.	Spare Part (Smoker	Specification 610(H) X 310(L) X 580(W)	110	
		House)			
			mm	No	
	19	Vacuum Oil	Make: DEKO	140	
	1.87473	Ray			



Bhutan Livestock Development Corporation Limited Corporate Head Office



Thimphu: Bhutan
"Inspiring the growth of livestock entrepreneurs"

NATION AND DESCRIPTION OF THE PARTY.	n iespuru	ig the growth of livestock entrepreneurs"		
		Butcher knife, size: 8", 9", 10",11" and 12".	No	
		Skinning knife, size: 6" and 7".	No	
		Trimming knife, size: 7" and 8".	No	
		Boning knife, size: 5", 6", 7" and 8". (Curve, narrow and wide blade).	No	
20.	Professional Knife	Gut and Tripe knife, size: 6".	No	
		Poultry knife, size: 4".	No	
		Sticking knife, size: 8".	No	
		Ham Boner, size: 9"	No	
		Chef's knife, size: 8" and 10".	No	
		Caving knife, size: 10"	No	
		Slicer serrated edge, size: 11	No	
21.	Meat Mincer Blade (Spare Part)	Stainless steel made. Blade no.32diameter 90mm (for 100mm plate)	No	
22.	Meat Mincer Plate (Spare Part)	Stainless steel made. 100mm	No	
23.	Wrapping Film	Food grade Dimension: width: 25 cm, 30 cm, 9.5 micron or more, Transparent and soft, Moisture proof.	No	
24.	Stainless Steel Deep Fry Net Spoon	For heavy duty	No	
		Features: long handle plastic scoop		
25	Food Grade Plastic	Size: 30 ml	No	
25.	Scoop	Size: 40 ml	No	
		Size: 50 ml	No	
		Size: 250 ml	No	
26.	Foldable Loading Trolly (Toe Plated)	Capacity: 150 Kg Product dimension: 300MM × 400MM, 600MM × 320MM	No	
Z. X z. A	500	OOOTATIAL		



Bhutan Livestoc

Development Corporation Limited Corporate Head Office

Thimphu: Bhutan

"Inspiring the growth of livestock entrepreneurs"



	27.	Hydraulic Pallet Truck/Jack	Load Capacity: 1 Tonne thickness plate. Heavy duty	No	
	28.	Hand Pallet Truck	SA-PL30(Nylon Wheels): Hand Pallet Truck, Loading Capacity: 2-3tonne, he hydraulic pump Lower Hock High (H1): 85mm, fork length: 1220mm, Total Lift Height (H2):195mm Width Over the Fork (W):680mm, Steering Wheel (A): 80mm, Fork Wheel (B): 80mm, Trick wt: 120 kg	No	
	29.	Stair Climbing Trolley	Capacity: 200 kgs Toe Plate Size: 350mm (W) x 280mm (L)	No	-
	30.	Pneumatic Hand Trolley	Capacity: 200kg Trolley Size: 1180mm x 370mm Toe Plate Size: 350mm (W) x 280mm (L) Wheel Type: Pneumatic Tyre Size: 410×3.50×4 Wheel Diameter: 255mm	No	
	31.	Hand Trolly Td1- 300	Overall Hight: 890mm Model: TD1-300	No	
	32.	Mount Knife Holder/Hanger	Material: Stainless steel Shelf: Floating type Storage Rack High-Grade Metal Multi- Purpose (80 X 10.5 X 14.4 Cm)	No	
	33.	Platform Step Ladder	Fitted with a specially designed equipment holder providing convenience when doing jobs on the ladder	No	
	34.	RTD Sensor (2.5m)		No	
	35.	Binding Needle	Set of 3	No	
	36.	Polyethylene Tube HDPE Pipe	Polyethene pipe of 1" for feeding and cleaning purpose in the farm.	No	
	37.	Polyethylene Flexible Pipe	Polyethene flexible pipe of 1" for feeding and cleaning purpose in the farm.	No	
13	1	7500	1		

(b) The state of t

Corneration Livestock Development Corneration

Bhutan Livestock Development Corporation Limited Corporate Head Office



Thimphu: Bhutan
"Inspiring the growth of livestock entrepreneurs"

1801	7	A TOS TO WELL	g the grown of vicesioen entrepreneurs	MARKET DIS CONTESSOR AND DESCRIPTION AND ARREST AND ARREST TRANSMENTANCES.	CONTROL SECTION OF THE PROPERTY AND ADDRESS OF THE PROPERTY OF
	38.	Motor Water Pump	1.5 HP motor water,	No	
			240v along with high Pressure pipe.		
	39.	HDPE Nylon Fishing Net	Blue HDPE Nylon fishing net size of .0.5cm x 0.5cm. Non stretchable during fishing period.	No	1
	40.	Ingredients Storing Container	Food Grade Capacity: 5 kg	No	
	41.	Ingredients Preparation Bowl	Food Grade Material: Plastic	No	
	42.	Polyester Thread	high quality thread Material: polyester For sausage bundling purpose	No	
	43.	Plastic (Carry Bag)	Food Grade plastic Size: 12'X12"	Kg	
			Size:10"X26"	Kg	
		Product Packing Bag	Food grade plastic		
			Capacity: kg	Kg	
			Capacity:5 Kg	Kg	
			Capacity:10 Kg	Kg	
			Capacity:15 Kg	Kg	
	44.		Capacity:20 Kg	Kg	
	44.		Capacity:25 Kg	Kg	
			Capacity:30 Kg	Kg	
			Capacity:35 Kg	Kg	_
			Capacity:40 Kg	Kg	
			Capacity:45 Kg	Kg	
			Capacity:50 Kg	Kg	
	45.	Floor Cleaning Brush	Type: Sturdy long handle brush Suitable for: Cleaning and Scrubbing floor	No	
	46.	Rubber Band	Good quality Rubber band for tying plastics	Packet	
	47.	Grinding & Honing Machine for Knife	Sharpening Machine Water cooled grinding wheel Knife holding magnets Contra rotating honing wheels		
Serie de la constitución de la c	418-5	Knife Sharpening	High Carbon Steel		
1		Rod	Dimension: 17.3"L x 1.2"W x 1"H		
I		Gy II			



त्युन् भ्रावस्य प्रायम्

Bhutan Livestock Development Corporation Limited Corporate Head Office



Thimphu: Bhutan "Inspiring the growth of livestock entrepreneurs"

		High Carbon Steel		
	Cable Tie Cable Tie	Usage: locking Quantity per packet: 100 pieces High quality		
49.		Size: 4 inch	Packet	
49.		Size: 6 inch	Packet	
		Size: 8 inch	Packet	
		Size: 10 inch	Packet	
	Total Amount			





Corporate Head Office



"Inspiring the growth of livestock entrepreneurs"

Lot 2: Supply of Lab Equipment for the Year 2025.

SI. No	Name of Items	General Specifications	Unit	Rate (Nu)
		Material: Polyester / Cotton, 65%Polyester 35%Cotton Color: White		
		Size: Small	Piece	
1.	Lab Coat	Size: Medium	Piece	
		Size: Large	Piece	
		Size: XL	Piece	
		Size: XXL	Piece	
		Size: XXXL	Piece	
2.	Heavy-Duty Apron with Stomach Patch	 Feature: 100% waterproof and suitable to wear in hot and cold condition Resistance: Chemicals, fats, oils and grease. Material: Polyvinyl Chloride(PVC) Size: 33 x 44" Thickness: 18 mil Color: Navy Blue/Green/White Dimensions (L x W) 84 x 112cm Height: 60" 	Piece	
3.	Disposable Hair Net	 Non-woven fabrics Male/Female Use for Manufacturing 100 pieces per packet 	Packet	
4.	Gumboot for food processing houses	 Features: PVC upper for excellent water resistance and durability Light in weight for enhanced comfort and reduced fatigue. Nylon / Polyester fine knit liner for easy cleaning and quick drying enabling maximum hygiene Features uppers for optimum flexibility and abrasion resistance Color: White Upper/White Sole Size: No.3, No4, No5, No6, No7, No8, No9 	Pair	
5.	Slippers for food processing houses	Good quality White color Size: No 4, 5, 6,7,8,9,10	Pair	

st Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520, Email: bldell7@gmail.com Website: http://www.bhutanlivestock.bt



Bhutan Livestock

Development Corporation Limited Corporate Head Office



"Inspiring the growth of livestock entrepreneurs"

		• Nylon / Polyester fine knit liner for easy cleaning and quick drying enabling maximum hygiene	
		 Features uppers for optimum flexibility and abrasion resistance Color: White Upper/White Sole Size: No.3, No4, No5, No6, No7, No8, No9 	
5.	Slippers for food processing houses	Good quality White color Size: No 4, 5, 6,7,8,9,10	Pair
6.	Plastic shoe	Transparent Size:7 & 8	Packet
7.	Industrial Towel	High quality and allows high water absorption	Piece
7.	mustrar rower	Size: Small Size: Medium	Piece
8.	Mouth Mask	25/pkt normal size Single use	Packet
9.	Processing Gloves	Food grade glove 100/packet	Packet
10.	Heat and Cold Resistant Gloves	Suitable for working in a freezer room and protect from heat.	Pair
11.	Industrial Glove	Long Sleeves with wool inside	Pair
12.	Industrial Glove	Short sleeves, hide make	Pair
13.	Cold storage and Freezer Wear	Material: waterproof Fiber Cotton Gender: Unisex Application: cold storage room, warehouse logistics	No
Tota	l Amount		

ample Brochures/Catalogue containing clear specifications required.

INTEGRITY PACT

1. General:

Whereas Mr. Dophu Dukpa, Chief Executive Officer representing the Bhutan Livestock Development Corporation Limited, Royal Government of Bhutan, hereinafter referred to as the "Procuring agency" on one part, and (Name of bidder or his/her authorized representative, with power of attorney) representing M/s. (Name of firm), hereinafter referred to as the "Bidder" on the other part hereby execute this agreement as follows: This agreement shall be a part of the standard bidding document, which shall be signed by both the parties at the time of purchase of bidding documents and submitted along with the tender document.

2. Objectives:

Whereas, the Procuring agency and the Bidder agree to enter into this agreement, hereafter referred to as IP, to avoid all forms of corruption or deceptive practice by following a system that is fair, transparent and free from any influence/unprejudiced dealings in the bidding process¹and contract administration²with a view to:

- 2.1 Enabling the Procuring agency to obtain the desired contract at a reasonable and competitive price in conformity to the defined specifications of the works or goods or services; and
- 2.2 Enabling bidders to abstain from bribing or any corrupt practice in order to secure the contract by providing assurance to them that their competitors will also refrain from bribing and other corrupt practices.

3. Scope:

The validity of this IP shall cover the bidding process and contract administration period.

4. Commitments of the Procuring agency:

The Procuring agency Commits itself to the following: -

- 4.1 The Procuring agency hereby undertakes that no officials of the Procuring agency, connected directly or indirectly with the contract, will demand, take a promise for or accept, directly or through intermediaries, any bribe, consideration, gift, reward, favor or any material or immaterial benefit or any other advantage from the Bidder, either for themselves or for any person, organization or third party related to the contract in exchange for an advantage in the bidding process and contract administration.
- 4.2 The Procuring agency further confirms that its officials shall not favor any prospective bidder in any form that could afford an undue advantage to that particular bidder in the bidding process and contract administration and the little and Bidders alike.

¹Bidding process, for the purpose of this IP, shall mean the procedures covering tendering process starting from bid preparation, bi

² Contract administration, for the purpose of this IP, shall mean contract award, contract implementation, un-authorized sub- contract

- 4.3 Officials of the Procuring agency, who may have observed or noticed or have reasonable suspicion shall report to the head of the employing agency or an appropriate government office any violation or attempted violation of clauses 4.1 and 4.2.
- 4.4 Following report on violation of clauses 4.1 and 4.2 by official (s), through any source, necessary disciplinary proceedings, or any other action as deemed fit, including criminal proceedings shall be initiated by the Procuring agency and such a person shall be debarred from further dealings related to the bidding process and contract administration.

5. Commitments of Bidders

The Bidder commits himself/herself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of the bidding process and administration particular commits himself/ herself to the following:-

- 5.1 The Bidder shall not offer, directly or through intermediaries, any bribe, gift, consideration, reward, favor, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the Procuring agency, connected directly or indirectly with the bidding process and contract administration, or to any person, organization or third party related to the contract in exchange for any advantage in the bidding process and contract administration.
- 5.2 The Bidder shall not collude with other parties interested in the contract to manipulate in whatsoever form or manner, the bidding process and contract administration.
- 5.3 If the bidder(s) have observed or noticed or have reasonable suspicion that the provisions of the IP have been violated by the procuring agency or other bidders, the bidder shall report such violations to the head of the procuring agency.

6. Sanctions for Violation:

The breach of any of the aforesaid provisions shall result in administrative charges or penal actions as per the relevant rules and laws.

- 6.1 The breach of the IP or commission of any offence (forgery, providing false information, misrepresentation, providing false/ fake documents, bid rigging, bid steering or coercion) by the Bidder, or any one employed by him, or acting on his/her behalf (whether with or without the knowledge of the Bidder), shall be dealt as per the terms and conditions of the contract and other provisions of the relevant laws, including Debarment Rules.
- 6.2 The breach of the IP or commission of any offence by the officials of the procuring agency shall be dealt as per the rules and laws of the land in vogue

7. Monitoring and Administration:

7.1 The respective procuring agency shall be responsible for the administration and monitoring of the IP as per the relevant laws.

7.2 The bidder shall have the right to appeal as per the arbitration mechanism contained in the relevant rules.

We, hereby declare that we have read and understood the abide by it.	e clauses of this	agreement and shal
The parties hereby sign this Integrity Pact at (place)	on (date)_	
Affix Legal		Affix Legal
Stamp		Stamp
PROCURING AGENCY	BIDDER/REF	PRESENTATIVE
CID	CID:	
Witness	Witness:	
Name	Name:	

CID:



CID