



Bid Document
For
Supply of Equipment and packaging materials
Bhutan Livestock Development Corporation Limited



Requested by:

Bhutan Livestock Development Corporation Limited

Box: 2078, Namtog Lam, Khangkhulu, Thimphu, Bhutan

Telephone No: +975 02 -365520

Website: <https://www.bhutanlivestock.bt/>



Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldcl7@gmail.com

Website: http://www.bhutanlivestock.bt



ଭୁବନାଶ୍ରତ୍ରର୍ଷଦ୍ୱାଷେଷାକର୍ତ୍ତର୍ଦେଵୀ

Bhutan Livestock Development Corporation Limited

Corporate Head Office

Thimphu: Bhutan

Inspiring the growth of livestock entrepreneurs



BLDCL/GEN-13/2026/663

January 15, 2026

Bhutan Livestock Development Corporation Limited

Bhutan Livestock Development Corporation Limited is pleased to invite National bidders for the **Supply of Equipment and packaging materials for the Year 2026**. Interested bidders may purchase a complete set of bidding documents in English from the **Procurement Unit**, located at **Namtog Lam, Khangkhulu, Thimphu**, during office working hours (Monday to Friday, 9.00 AM-1:00 PM and 02:00 PM to 5:000 PM) starting from **January 16, 2026**. The cost of the document is Nu.500.00 (Ngultrum Five hundred only), which is non-refundable. Alternatively, the tender documents can also be downloaded from the official website: <https://www.bhutanlivestock.bt/>. Tender documents downloaded from the website must be accompanied by the payment of the tender fee and registered on the submission date. The Bid must be submitted or delivered to the address **“The Chief Executive Officer, Bhutan Livestock Development Corporation Limited, Namtog Lam, Khangkhulu, Thimphu”** at or before **11:00 am (BST) on February 2, 2026**. Electronic bidding “shall not” be permitted. Late Bids will be rejected. Bids will be opened physically on the same day, **February 2, 2026, at 02:30 PM (BST)** in the presence of the bidder’s representatives who chose to attend.

For any queries, please contact the Procurement Officer at 02-365520 during office hours (9.00 AM to 1:00 PM and 2:00 PM to 5:000 PM)




Chief Executive Officer
Bhutan Livestock Development Corporation Limited



Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldcl7@gmail.com

Website: <http://www.bhutanlivestock.bt>



ଭୁବନ୍ଦ୍ରାଶ୍ରମର୍ଦ୍ଦନଶେଷକଦ୍ୱାରା

Bhutan Livestock Development Corporation Limited

Corporate Head Office

Thimphu: Bhutan

Inspiring the growth of livestock entrepreneurs



A. General Terms and Conditions:

1. The Bid must be submitted at or before **February 2, 2026, at 11:00 am (BST)** to the Bhutan Livestock Development Corporation Limited and the bids shall be opened on the same day at **2:30 pm (BST)**
2. Any bid received after the deadline for submission of bids prescribed by the BLDCL, shall be declared as “late” and shall be returned unopened to the bidder.
3. The bidders shall submit a copy of
 - valid licenses
 - Tax clearance
 - other necessary documents along with the bids.
4. The Bidders shall submit the duly filled and completed Integrity Pact along with the bidding document. The bid shall be considered incomplete if the Integrity Pact is not submitted with the bidding documents.
5. The Bidder’s rate must be quoted for delivery at Bhutan Livestock Development Corporation Limited, Namtog Lam, Khangkhulu, Thimphu, Bhutan. The rate quoted should be valid for a period of one (1) year from the date of award of work and must be inclusive of freight, insurance, charges, levies, and taxes.
6. The BLDCL reserves the right to increase or decrease the quantity of items tendered at the time of placing the supply order, without any change in the price or other terms and conditions.
7. The BLDCL reserves the right to call quotations and receive the same in the form of email or fax, directly from the manufacturers in India and other countries and compare the rates with those offered by the local suppliers. If need be, BLDCL reserves the right to purchase the items directly from the manufacturer without assigning any reason thereof.
8. If the successful bidder fails to supply the materials as specified in the supply order, BLDCL shall cancel the order for the quantity not supplied and source it from other firms for immediate requirement. However, the BLDCL shall recover the difference between the contract rate and the actual price paid to the other firms as liquidated damages from the supplied bill amount.



Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldcl7@gmail.com

Website: <http://www.bhutanlivestock.bt>



ଭୁବନାଶ୍ରତ୍ରର୍ଷଦ୍ୱାଷେଷାକଦାର୍ଦ୍ଦିନୀ

Bhutan Livestock Development Corporation Limited

Corporate Head Office

Thimphu: Bhutan

"Inspiring the growth of livestock entrepreneurs"



9. The bid shall be accompanied by a bid security of Nu. 5,000.00 in the form of a Demand Draft, Cash Warrant, or unconditional Bank Guarantee valid not less than 90 days from the date of bid submission drawn in favor of Bhutan Livestock Development Corporation, Thimphu, and the same shall be returned on finalization of the Bids. Any bid not accompanied by bid security shall be treated as non-responsive.

In case if a Bidder withdraws the bid during the period of bid validity the bid shall be forfeited or if the successful Bidder, to whom the notification of award for the supply is presented, refuses or neglects or fails to furnish the required performances Security, the bid security shall be forfeited.

10. The Successful bidder must furnish 10% of the total quoted price as a Performance Security Deposit only in the form of a Demand Draft, Cash Warrant, or Unconditional Bank Guarantee in favor of the Bhutan Livestock Development Corporation Limited, Thimphu before signing a contract with the Bhutan Livestock Development Corporation Limited. This Performance Security Deposit shall be retained for One (1) year and it shall not accrue any interest during the performance of the contract. In case of failure to supply the materials as per the specification/sample, the contract shall be terminated by forfeiting the Performance Security Deposit and second lowest bidder will be asked to supply the goods at his quoted rate. Withdrawal/ suspension from supplying after winning the Bid will also result in forfeiture of the Performance Security deposit.

11. The Supply of material must be completed within 30 days from the date of issue of the Supply order; **failing to supply the goods within the stipulated time, a penalty of 0.1% per day shall be deducted from the bill amount to the maximum of 10% of the total bill value.**

12. No extension of the supply date shall be entertained without written consent from BLDCL to that effect.

13. At the given point in time, the BLDCL reserves the right to reject the inferior quality of the material and require replacing the defective/inferior quality materials at the Supplier's cost. The rejected materials should be lifted by the supplier within a week. After the expiry of the above time period, the BLDCL shall not be responsible for any damage or loss of the



Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldcl7@gmail.com

Website: <http://www.bhutanlivestock.bt>



material from the premises of BLDCL.

14. The BLDCL shall communicate the damages/shortages, if any. The Supplier shall be responsible for replacing/rectifying the damages/shortages within a reasonable period of time to the satisfaction of the BLDCL.
15. The Payment shall be made within one month by the BLDCL from the date of receipt of the material if no damages/shortages occur.
16. The Bank charges for the preparation of the TT/RTGS transfer shall be borne by the supplier.
17. The BLDCL and the Supplier shall make every effort to resolve mutually any disagreement or disputes in connection with the contract/supply.
18. BLDCL will order as and when required or some items may not be ordered due to changes in circumstances of the company.

19. Sealing and Marking of Bids

The bidders shall seal the original and copy of the bidders in separate envelopes, duly marked as "ORIGINAL" and "COPY." The envelopes shall then be sealed in an outer envelope.

The outer envelopes shall:

- a. Sealed tenders containing the bids shall be marked as Tender for **"SUPPLY OF EQUIPMENT AND PACKAGING MATERIALS FOR YEAR 2026"** and submitted to the following address:
CHIEF EXECUTIVE OFFICER,
BHUTAN LIVESTOCK DEVELOPMENT CORPORATION LIMITED,
P.O.BOX. NO. 2078,
NAMTOG LAM, KHANGKHULU, THIMPHU, BHUTAN.
- b. The inner envelopes shall also indicate the name and address of the bidder.
- c. If the outer envelope is not sealed and marked as required, the procuring entity will assume no responsibility for the misplacement of the bidders.

20. Evaluation and Award of the Bid

- a. Evaluation will be carried out by the Committee and will be awarded to the bidder offering as per the Specification and not limit to Lowest bid price.
- b. The successful bidder will execute an agreement with BLDCL.





ଭୁବନାଶ୍ରତ୍ରର୍ଷଦ୍ୱାସିତାକର୍ତ୍ତର୍ଦେଵୀ

Bhutan Livestock Development Corporation Limited

Corporate Head Office

Thimphu: Bhutan

"Inspiring the growth of livestock entrepreneurs"



21. Dispute and Complaints

- a. Bhutan Livestock Development Corporation Limited shall not entertain any disputes with regard to the item once the tender process is completed and the award is made.
- b. In the event of any disputes arising during the tender process with regard to procedures on the day of tender, the decision of BLDCL Limited Tender Committee shall be final and binding.
- c. Any disputes during the supply contract period, shall dealt as per the Procurement Manual of BLDCL and in accordance with the laws of the Kingdom of Bhutan.

22. Right to Accept, Reject, and Withdraw

- a. BLDCL shall reserve the right to re-tender if the specification is not as per the BLDCL requirement.
- b. BLDCL reserves the right to accept or reject any and/or all bids in the best interest of BLDCL.
- c. This bid expressly limits acceptance to the terms and conditions stated herein. Any additional and/or different terms proposed by the bidder are objected to and hereby rejected.
- d. In case of any dispute or problem with regard to the tender, the decision of the committee will be final and binding.

23. Authority to Debar or Suspend

Reasons for debarment or suspension from participation in future sealed bids include, but are not limited to the following reasons:

- a. Failure to deliver for the item or all items awarded.
- b. Deliberate failure without good cause to perform in accordance with specifications or within the time limit provided.



Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldcl7@gmail.com

Website: <http://www.bhutanlivestock.bt>



ଭୁବନ୍ଦ୍ରାଷ୍ଟର୍ରର୍ଦ୍ଦାନ୍ତିଷ୍ଠାକର୍ତ୍ତର୍ଦ୍ଦିନ୍ଦା

Bhutan Livestock Development Corporation Limited
Corporate Head Office
Thimphu: Bhutan
"Inspiring the growth of livestock entrepreneurs"



Lot 1. Supply of Equipment for the Year 2026

Sl	Name of Items	General Specifications	Unit	Rate (Nu.)
1.	Single Wheel Barrow	FEATURES Material: Cast Iron Load Capacity: 50 kg Load Capacity: 100kg	No	
2.	Double Wheel Barrow	FEATURES Material: Cast Iron Load Capacity: 50kg Load Capacity: 100kg	No	
3.	Cold-Water High-Pressure Cleaner	Heavy Duty Continuous Duty Brass Triplex Plunger Pump with Ceramic Coated Pistons Powered by 4KW 5.7HP Heavy duty electric Motor-13LPM water flow 200 Bar Variable Pressure (Operating Pressure 186 Bar) Easy to operate with wheels 3 Phase current, 380 V 50 HZ with inline bigger filter with 3m wire Automatic with powder coating Area covered: 400 square feet Frequency: 50 to 60 Hz Food and dairy processing facilities Convenience food retailers Commercial premises	Set	
4.	Weighing Scale	Display Type: Digital, LED or LCD with alphanumerical Operation: Rechargeable Battery Operated Weighing Capacity: 1 to 100 Kg Weighing Capacity: 1 to 500 Kg	No	
5.	PVC Ribbed Curtain	Colour: Transparent Yellow or Blue Height: 10 ft Strip Width: 200mm	Piece	



Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldcl7@gmail.com

Website: <http://www.bhutanlivestock.bt>



ଭୁବନାଶ୍ରତ୍ରର୍ଷଦନ୍ତବ୍ସିତାକର୍ତ୍ତାର୍ଦ୍ଦିତ୍ବୀ

Bhutan Livestock Development Corporation Limited

Corporate Head Office

Thimphu: Bhutan

"Inspiring the growth of livestock entrepreneurs"



		<p>Thickness: 5mm Temperature Range: -30 to +30°C Seal length: 12 inch Suitable for sealing thermo-sealable materials like CPE, LDPE, HDPE or PP Voltage: 220V, 50 Hz Battery Power: 40V Battery Run Time: Minimum 60 minutes Blade Type: Double sided Blade Length: 50 to 60 cm, Inclusive: Spare battery Power-240V, 50/60HZ, Front loading/Feeding</p>		
6.	LPG Heating Torch	<p>Application: Heating for burning, ice melting, etc LPG with cylinder Hose with spare nozzles Pipe extension: 5 meters</p>	No	
7.	Portable Type Fire Extinguisher	<p>Material: Steel or Carbon Steel, Stainless Steel Fire Extinguisher Type: CO2</p>	No	
8.	Grass Cutter	<p>Back pack type, Fuel: petrol with blades and with complete accessories. Engine Power: 2.1 HP Engine Type: 4 Stroke</p>	Set	
9.	Heavy Duty Torch	<p>Rechargeable Searchlight -6000-15W Emergency Light (Black) Rechargeable: Yes Bulb Type LED: High power 15W CREE T6 Water Proof: Yes</p>	Set	
	HDPE Crate	<p>Features:</p>	Piece	



Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldcl7@gmail.com

Website: http://www.bhutanlivestock.bt



10.		Nonperforated plastic body Dimension: 600*400*485 (mm), color: blue, shape Rectangular		
11.	HDPE Crate	Features: Perforated plastic body Dimension: 600*400*485 (mm), color: blue, shape Rectangular	piece	
12.	Lab Coat	Material: Polyester / Cotton, 65%Polyester 35%Cotton Color: White Size: Small Size: Medium Size: Large Size: XL Size: XXL Size: XXXL	Piece	
12	Heavy-Duty Apron with Stomach Patch	<ul style="list-style-type: none">Feature: 100% waterproof and suitable to wear in hot and cold conditionResistance: Chemicals, fats, oils and grease.Material: Polyvinyl Chloride (PVC)Size: 33 x 44"Thickness: 18 milColor: Navy Blue/Green/WhiteDimensions (L x W) 84 x 112cmHeight: 60"	Piece	
13	Disposable Hair Net	<ul style="list-style-type: none">Non-woven fabricsUse for Manufacturing100 pieces per packetFor Male and Female	Packet	
14	Gumboot for Food Processing houses	<ul style="list-style-type: none">Features: PVC upper for excellent water resistance and durabilityLight in weight for enhanced comfort and reduced fatigue.	Pair	





ଭୁବନାଶ୍ରମର୍ଦ୍ଦନଶେଷକର୍ତ୍ତର୍ଦୟନ୍ତର୍ମାଣୀ

Bhutan Livestock Development Corporation Limited

Corporate Head Office

Thimphu: Bhutan

"Inspiring the growth of livestock entrepreneurs"



		<ul style="list-style-type: none"> · Nylon / Polyester fine knit liner for easy cleaning and quick drying enabling maximum hygiene · PVC uppers for optimum flexibility and abrasion resistance · Color: White Upper/White Sole · Size: No.3, No4, No5, No6, No7, No8, No9 		
15	Slippers for Food Processing House	Good quality White color Size: No 4, 5, 6, 7, 8, 9, 10	Pair	
16	Plastic Shoe	Transparent color Size: 7 & 8 100 Pairs per packet	Packet	
17	Industrial Towel	Fabric: Cotton Usage/Application: Industrial Type: Hand towel High water absorption Large Medium	Piece	
18	Mouth Mask	25/pkt normal size	Packet	
19	Processing Gloves	Food grade gloves	Packet	
20	Heat and Cold Resistant Gloves		Packet	
21	Industrial Glove	Long Sleeves with wool inside	Packet	
22	Industrial Glove	Short sleeves, hide make	Packet	
23	Infrared Electricity Thermometer Gun with Laser Pointer	Measuring the temperature of cold rooms, Refrigerator, deep freezer etc Laser-targeting with ON/OFF switch LCD with backlight C/F selectable Automatic Power OFF Display HOLD function Spectral range: 5-14 μ m	No	



Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldc17@gmail.com

Website: http://www.bhutanlivestock.bt



ଭୁବନାଶ୍ରମର୍ଦ୍ଦନକାର୍ଯ୍ୟକ୍ଷର୍ମ୍ୟ

Bhutan Livestock Development Corporation Limited

Corporate Head Office

Thimphu: Bhutan

"Inspiring the growth of livestock entrepreneurs"



		Temperature Range: -50°C to +500°C Accuracy: +/- 2.0°C (3°F) or +/- 2%, whichever is greater Resolution: 0.5°C/F Response Time: 500 m seconds Battery: 1 x 9V		
24	Probe Thermometer	Measuring range: -40 ... 300 °C Stainless steel temperature sensor 120 mm Foldable sensor Max / Min / Hold function Magnetic holder LED light Automatic display alignment IP54 To check the temperature of the water, cooked items etc	No	
25	Bowl Chopper Parts	k-466(2368) 6-cutter knives	No	
		K-414(2357) Shaft knives belts	No	
		K-421(2845) Lid gas piston	No	
		Screwdriver set	No	
26	Filler Machine Spare Parts	H-242 green silicon/circular profile H-248 piston Oring rubber hammer	No	
27	Kitchen Scissors	Material: Carbon Steel Serrated, designed for left or right-handed use Multi-purpose use	No	
28	KAC-25 Compressor Spare Part (Smoker House)	Voltage: 220V, 60 Hz Power: 1,500 W Tank Capacity: 25 Liters Specification 610(H) X 310(L) X 580(W) mm	No	
29	Vacuum Oil	Make: DEKO	Ltr	



Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldcl7@gmail.com

Website: http://www.bhutanlivestock.bt



ଭୁବନାଶ୍ରମର୍ଦ୍ଦନକାର୍ଯ୍ୟକ୍ଷେତ୍ର

Bhutan Livestock Development Corporation Limited

Corporate Head Office

Thimphu: Bhutan

"Inspiring the growth of livestock entrepreneurs"



30	Professional Knife	Butcher knife, size: 8", 9", 10", 11" and 12".	No	
		Skinning knife, size: 6" and 7".	No	
		Trimming knife, size: 7" and 8".	No	
		Boning knife, size: 5", 6", 7" and 8". <i>(Curve, narrow and wide blade).</i>	No	
		Gut and Tripe knife, size: 6".	No	
		Poultry knife, size: 4".	No	
		Sticking knife, size: 8".	No	
		Ham Boner, size: 9"	No	
		Chef's knife, size: 8" and 10".	No	
		Carving knife, size: 10"	No	
		Slicer serrated edge, size: 11	No	
31	Meat Mincer Blade (Spare Part)	Stainless steel made. Blade no.32diameter 90mm (for 100mm plate)	No	
32	Meat Mincer Plate (Spare Part)	Stainless steel made. 100mm	No	
33	Stainless Steel Deep Fry Net Spoon	For heavy duty	No	
34	Brand Saw or Meat Saw	Model No:3334SS(USA)	No	
35	Food Grade Plastic Scoop	Features: long handle plastic scoop	No	
		Size: 30 ml		
		Size: 40 ml		
		Size: 50 ml		
		Size: 250 ml		
36	Foldable Loading Trolley (Toe Plated)	Capacity: 150 Kg Product dimension: 300MM × 400MM, 600MM × 320MM	No	
37	Hydraulic Pallet Truck/Jack	Load Capacity: 1 Tonne plate. thickness Heavy duty	No	



Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldcl7@gmail.com

Website: http://www.bhutanlivestock.bt



ଭୁବନାଶ୍ରତ୍ରର୍ଷଦ୍ୱାସିତାକର୍ତ୍ତାର୍ଦ୍ଦିତା

Bhutan Livestock Development Corporation Limited

Corporate Head Office

Thimphu: Bhutan

"Inspiring the growth of livestock entrepreneurs"



38	Hand Pallet Truck	SA-PL30(Nylon Wheels): Hand Pallet Truck, Loading Capacity: 2-3tonne, he hydraulic pump Lower Hock High (H1): 85mm, fork length :1220mm, Total Lift Height (H2):195mm Width Over the Fork (W):680mm, Steering Wheel (A): 80mm, Fork Wheel (B): 80mm, Trick wt: 120 kg	No	
39	Stair Climbing Trolley	Capacity: 200 kgs Toe Plate Size: 350mm (W) x 280mm (L)	No	
40	Pneumatic Hand Trolley	Capacity: 200kg Trolley Size: 1180mm x 370mm Toe Plate Size: 350mm (W) x 280mm (L) Wheel Type: Pneumatic Tyre Size: 410×3.50×4 Wheel Diameter: 255mm	No	
41	Hand Trolley TD1-300	✓ Overall Hight:890mm Model: TD1-300	No	
42	Mount Knife holder/hanger	Material: Stainless steel Shelf: Floating type Storage Rack High-Grade Metal Multi-Purpose (80 X 10.5 X 14.4 Cm)	No	
43	Platform step ladder	Fitted with a specially designed equipment holder providing convenience when doing jobs on the ladder	No	
44	Binding Needle	Set of 3	Set	
45	Polypropylene Bag	Capacity:50kg	Kg	
		Capacity:20Kg		
		Capacity: 10Kg		
46	Product packing Plastic	Capacity: 20Kg	Kg	
		Capacity: 10Kg		



Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldcl7@gmail.com

Website: http://www.bhutanlivestock.bt



ଭୁବନାଶ୍ରତ୍ରର୍ଷଦ୍ୱାଷିତାକର୍ତ୍ତର୍ଦେଵୀ

Bhutan Livestock Development Corporation Limited

Corporate Head Office

Thimphu: Bhutan

"Inspiring the growth of livestock entrepreneurs"



		Capacity: 5Kg		
47	Polyethylene Tube HDPE Pipe	Polyethene pipe of 1" for feeding and cleaning purpose in the farm.		
48	Polyethylene Flexible Pipe	Polyethene flexible pipe of 1" for feeding and cleaning purpose in the farm.	Roll	
49	Motor Water Pump	1.5 HP motor water, 240v along with high Pressure pipe.	No	
50	HDPE Nylon Fishing Net	Blue HDPE Nylon fishing net size of .0.5cm x 0.5cm. Non stretchable during fishing period.	No	
51	Ingredient's preparation bowl with Scoop spoon	✓Food Grade Material: Plastic ✓Medium	Piece	
52	Spoon for spices and meatball	For meatball preparation	No	
53	Liquid Pro cat gloves	<ul style="list-style-type: none"> Lightweight foam latex gloves for wet handling work Waterproof design ideal for use during wet weather Thick coating offers warmth, grip and mechanical protection Supplied as a pair of gloves 	Pair	
54	Earmuffs	304 stainless steel headbands: corrosion resistance, excellent in a wide range of atmospheric environments and many corrosive media; heat resistance, good oxidation resistance in intermittent service to 870°C and in continuous service to 925°C; excellent weld ability Padded stainless steel headbands with 4-point suspension Soft strap with two tight buckles, strap and stainless-steel head band fit together tightly	No	



Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldcl7@gmail.com

Website: http://www.bhutanlivestock.bt



ଭୁବନାଶ୍ରମର୍ଦ୍ଦନକାର୍ଯ୍ୟକ୍ଷର୍ମ୍ୟ

Bhutan Livestock Development Corporation Limited

Corporate Head Office

Thimphu: Bhutan

"Inspiring the growth of livestock entrepreneurs"



		Replaceable cushions: Imitation PU material, which is soft, comfortable, ultra-light and anti-abrasive Cross foam (thickness 15mm): Inside the ABS cups, sound insulation Lightweight, comfortable & effective earmuff range		
55	Refrigerator and freezer, cold store clothing	Outer shell :100% Polyester fabric that is tough, water-resistant, and durable Inner Lining: Non-woven fabric for excellent insulation and maximum comfort. Temperature Resistance: Engineered for temperatures as low as -60°C Design options: Available as one-piece coveralls or two-piece sets (jacket and trousers)	No	
56	Ice Gripster, Water Resistant, Brushed Synthetic Gloves	Ice Gripster two-layer water repellent nylon over seamless brushed synthetic terrycloth Warm and comfortable in cold conditions Etched rubber finish gives outstanding grip and stays flexible in cold and harsh environments High visibility orange outer shell Water repellent Sizes: M – XL	Packet	
56	SPARE PARTS: YX PTFE 300 Degree Brown Insulation Vacuum Sealing Machine Insulation High Temperature Heat-Resistant Adhesive Tape	Feature: 1. Product Length 10M 2. Commodity Temperature: Can Withstand Temperature 300 Degrees. 3. Commodity Features: High Strength, High Temperature Resistance, Anti - Adhesion, Light, Can Resist Various Chemical Corrosion. 4. Commodity Application: Sealing Machine, All Kinds Of High Temperature Roller Coating, Chute, Aviation Mould.	No	



Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldcl7@gmail.com

Website: http://www.bhutanlivestock.bt



ଭୁବନାଶ୍ରମର୍ଦ୍ଦନଶେଷକଦିନ୍ଦ୍ରିଣୀ

Bhutan Livestock Development Corporation Limited

Corporate Head Office

Thimphu: Bhutan

"Inspiring the growth of livestock entrepreneurs"



		Width : 35mm/38mm/40mm/45mm/50mm Package Included:1 x Adhesive Tape		
57	SPARE PARTS Vacuum sealing machine: Heating element plate/rolls for the vacuum sealing machine	Heating Element Roll measures 10mm wide x 5 meters in length and is used in multiple Foot Sealer machines. It is possible to replace this Heating Element multiple times, depending on the sealing length of the machine.	No	
58	Bowl chopper parts	k-466(2368) 6-cutter knives K-414(2357) Shaft knives belts K-421(2845) Lid gas piston Screwdriver set	No	
59	SPARE PARTS. Bowl chopper knife (Model K50E) SL.NO.1404574	Chopping knife	No	
60	SPARE PARTS: Band saw model no. BIRO 3334, SL.NO49656	1. A16226A-SG (Green red switch button assembly set. 2. Item no 177 Nylon fillers 3. Item No. 602B upper saw guard 4. Item no. 131 stel blade slicer 5. item no 130: saw cleaner bracket 6. item no 119A lower saw guard 7.item no.S295 wheel cleaner arm 8. Item No.S268 filler and guide stud Item No256P Safety push blade 9. Motor for Band set 10. belt (Size 221) 11.A19-Ratchat Assembly	No	
61	Spare parts for the smoke house: Smoke generator (Smoke door washer/ Gasket)	Rubber door seal for the smoke generator of the smoke house, Ribon RYX-smokehouse	No	
62	Spare parts for the smoke house, Frangible tank of the smoke generator	Frangible tank for the smoke generator of the smoke house, Ribon RYX-smokehouse	No	



Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldcl7@gmail.com

Website: http://www.bhutanlivestock.bt



ଭୁବନାଶ୍ରମର୍ଦ୍ଦନଶେଷକଦ୍ୱାରା

Bhutan Livestock Development Corporation Limited

Corporate Head Office

Thimphu: Bhutan

"Inspiring the growth of livestock entrepreneurs"



63	Spare parts for the smoke house (Milling machine) of the smoke generator)	Milling Machine for the smoke generator of the smoke house, Ribon RYX-smokehouse	No	
64	Smokehouse operating display	for the smoke generator of the smoke house, Ribon RYX-smokehouse Beijer Electronics IX T7A sl# 15007-1-00768	No	
65	SPARE PARTS: Food slicer type VA4000, MOD. VA2000	Stacking arm Deflecting comb set	No	
66	SPAREPARTS: Meat slicer, made DEKO 800S	Slicing blade	No	
67	Mixing Stainless Bowl with wheel 150 liters machine	<p>Stainless steel, with wheels Soft homogenous and universal mixing 2 motors (paddle and bowl Blade inversion for forward or reverse mixing, enhancing and shortening mixing time, also, with small quantities. Low tension safety hermetic switchboard</p> <p>Dimension: Bowl volume: 100 lit (26.4 gallon) Bowl capacity +/-15-70kg (33-154 lbs) Blade shaft speed:47rpm 50 hz,56rpm 60 hz Bowl speed:14rpm 50 hz (16rpm 60hz) Power;0.75/1.08hp,0.55/0.8k</p> <p>Options: 'v' electronic variable blade speed 20-90 rpm (50/60hz) 'M' single phase</p>	No	
68	Spare part for Mixer,Model Mix 100,Version PV, Frequency Hz 50, phases 3 Ac current, Voltage 416, Talsa EU made	M-314:Bowl bearing (x2) M-315: Break ring, bowl (E) M-316: Bowl Brak Brace (E) M-317: Lower Body holder (P) M-137: Lower body holder (P)	No	



Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldcl7@gmail.com

Website: http://www.bhutanlivestock.bt



ଭୁବନାଶ୍ରମର୍ଦ୍ଦନଶେଷାକରଣକେନ୍ଦ୍ରୀୟ

Bhutan Livestock Development Corporation Limited
Corporate Head Office
Thimphu: Bhutan
"Inspiring the growth of livestock entrepreneurs"



69	Frozen Meat Slicer Machine	Capacity 80-300kg/hr Blade speed 45 times/minutes Slice thickness 0.5 to 50 mm (Adjustable) Max width:425mm Input height:150mm Power:2.2Kw	No	
70	Refrigerant R-404A (HFC gas)	Food processing and other industrial cooling	No	
	TOTAL			





ଭୁବନାଶ୍ରମର୍ଦ୍ଦନଶେଷକର୍ଦ୍ଦର୍ଦ୍ଦିକ୍ଷା

Bhutan Livestock Development Corporation Limited

Corporate Head Office

Thimphu: Bhutan

"Inspiring the growth of livestock entrepreneurs"



Lot 2. Supply of product packaging materials for the Year 2026

Sl	Name of Items	General Specifications	Unit	Rate (Nu.)
1	Ingredients Preparation Bowl	Food Grade Material: Plastic. PP	No	
2	Polyester Thread	high quality thread	Roll	
		Material: polyester		
		For sausage bundling purpose		
3	Plastic (Carry bag)	Food Grade plastic Size: 12'X12"	Kg	
		Size:10"X26"		Kg
		Food grade plastic		
4	Product Packing Bag	Capacity: kg	Kg	
		Capacity:5 Kg	Kg	
		Capacity:10 Kg	Kg	
		Capacity:15 Kg	Kg	
		Capacity:20 Kg	Kg	
		Capacity:25 Kg	Kg	
		Capacity:30 Kg	Kg	
		Capacity:35 Kg	Kg	
		Capacity:40 Kg	Kg	
		Capacity:45 Kg	Kg	
		Capacity:50 Kg	Kg	
5	Twine/Modi thread	✓ For bacon, Ham and local juma processing purpose White colour	Roll	



Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldcl7@gmail.com

Website: http://www.bhutanlivestock.bt



6	Vacuum Pouch Plastic	<p>Plastic size- 1kg (200mm*300mm(w*H)) Plastic size 500gm(180mm*230mm(W*H)) Plastic size-175mm*360mm (W*H) Plastic size-260mm*365mm(W*H) Plastic size-230mm*480mm(W*H) Minimum thickness:70 microns (70 μm) Transparent/clear (minimum 90% clarity) Tolerance: ± 2 mm Food-grade material compliant with international food safety standards</p>	Pcs
7	Rainbow Trout Pouch	<ul style="list-style-type: none">Plastic size- 195mm*360mm(W*H)Minimum thickness: 60 microns (60 μm)Thickness tolerance: ± 2mmFood-grade material compliant with international food safety standardsPrint shall not fade, peel, or crack at -40°CIncludes printed labeling as per client/brand requirements	Pcs
8	Whole Chicken Pouch	<ul style="list-style-type: none">Plastic size- 210mm*390mm(W*H)Must be airtight and leak-proof.Minimum thickness:60 micronsFlexible pouch designed to package a whole chicken.Printing must withstand -20°C to -40°C storage without fading, cracking, or peeling.Includes printed labeling as per client/brand requirements	Pcs





ଭୁବନାଶ୍ରମର୍ଦ୍ଦନଶେଷକର୍ଦ୍ଦର୍ଦ୍ଦିକ୍ଷା

Bhutan Livestock Development Corporation Limited

Corporate Head Office

Thimphu: Bhutan

"Inspiring the growth of livestock entrepreneurs"



9	Pouch for Bacon, Ham & Ribs	<ul style="list-style-type: none"> Pouch size-200mm*330mm(W*H) Printing must withstand -20°C to -40°C storage without fading, cracking, or peeling. Minimum thickness:60 microns Includes printed labeling as per client/brand requirements 	Pcs	
10	Pouch for all type sausage	<ul style="list-style-type: none"> Pouch size-190mm*240mm(W*H) Printing must withstand -20°C to -40°C storage without fading, cracking, or peeling. Minimum thickness:60 microns Includes printed labelling as per client/brand requirements 	Pcs	
11	Rubber band	<ul style="list-style-type: none"> For whole chicken packing 	Pkts	
12	Food Wrapping Film roll	Thickness (Microns/μm):8-23 microns <ul style="list-style-type: none"> Length:300meter Width:35cm 	roll	
13	Cold food bag	<ul style="list-style-type: none"> ✓Food Grade,16*26", ✓2*14" 	Piece	

****Sample/Brochures/Catalogue containing clear specifications required.



Post Box No. 2078, Namtog Lam, Khangkhulu, Thimphu: Bhutan, Tel: (+975) 2-365520

Email: bldcl7@gmail.com

Website: <http://www.bhutanlivestock.bt>



ଭୁବନ୍ଦ୍ରାଶ୍ରମର୍ଦ୍ଦନଶ୍ରୀକର୍ମକ୍ଷର୍ମା

Bhutan Livestock Development Corporation Limited

Corporate Head Office

Thimphu: Bhutan

"Inspiring the growth of livestock entrepreneurs"



INTEGRITY PACT

1. General:

Whereas **Mr. Dophu Dukpa, Chief Executive Officer** representing the **Bhutan Livestock Development Corporation Limited**, Royal Government of Bhutan, hereinafter referred to as the **“Procuring agency”** on one part, and *(Name of bidder or his/her authorized representative, with power of attorney) representing M/s. (Name of firm)*, hereinafter referred to as the **“Bidder”** on the other part hereby executes this agreement as follows:

This agreement shall be a part of the standard bidding document, which shall be signed by both the parties at the time of purchase of bidding documents and submitted along with the tender document.

2. Objectives:

Whereas, the Procuring agency and the Bidder agree to enter into this agreement, hereafter referred to as IP, to avoid all forms of corruption or deceptive practice by following a system that is fair, transparent and free from any influence/unprejudiced dealings in the bidding process¹ and contract administration² with a view to:

- 2.1 Enabling the Procuring agency to obtain the desired contract at a reasonable and competitive price in conformity to the defined specifications of the works or goods or services; and
- 2.2 Enabling bidders to abstain from bribing or any corrupt practice in order to secure the contract by providing assurance to them that their competitors will also refrain from bribing and other corrupt practices.

3. Scope:

The validity of this IP shall cover the bidding process and contract administration period.

4. Commitments of the Procuring agency:

The Procuring agency Commits itself to the following: -

¹ Bidding process, for the purpose of this IP, shall mean the procedures covering tendering process starting from bid preparation, bid submission, bid processing, and bid evaluation.

² Contract administration, for the purpose of this IP, shall mean contract award, contract implementation, un-authorized sub- contracting and contract handing/ taking over





- 4.1 The Procuring agency hereby undertakes that no officials of the Procuring agency, connected directly or indirectly with the contract, will demand, take a promise for or accept, directly or through intermediaries, any bribe, consideration, gift, reward, favor or any material or immaterial benefit or any other advantage from the Bidder, either for themselves or for any person, organization or third party related to the contract in exchange for an advantage in the bidding process and contract administration.
- 4.2 The Procuring agency further confirms that its officials shall not favor any prospective bidder in any form that could afford an undue advantage to that particular bidder in the bidding process and contract administration and will treat all Bidders alike.
- 4.3 Officials of the Procuring agency, who may have observed or noticed or have reasonable suspicion shall report to the head of the employing agency or an appropriate government office any violation or attempted violation of clauses 4.1 and 4.2.
- 4.4 Following report on violation of clauses 4.1 and 4.2 by official (s), through any source, necessary disciplinary proceedings, or any other action as deemed fit, including criminal proceedings shall be initiated by the Procuring agency and such a person shall be debarred from further dealings related to the bidding process and contract administration.

5. Commitments of Bidders

The Bidder commits himself/herself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of the bidding process and administration particular commits himself/ herself to the following: -

- 5.1 The Bidder shall not offer, directly or through intermediaries, any bribe, gift, consideration, reward, favor, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the Procuring agency, connected directly or indirectly with the bidding process and contract administration, or to any person, organization or third party related to the contract in exchange for any advantage in the bidding process and contract administration.
- 5.2 The Bidder shall not collude with other parties interested in the contract to manipulate in whatsoever form or manner, the bidding process and contract administration.
- 5.3 If the bidder(s) have observed or noticed or have reasonable suspicion that the provisions of the IP have been violated by the procuring agency or other bidders, the bidder shall report such violations to the head of the procuring agency.

6. Sanctions for Violation:

The breach of any of the aforesaid provisions shall result in administrative charges or penal actions





as per the relevant rules and laws.

- 6.1 The breach of the IP or commission of any offence (forgery, providing false information, misrepresentation, providing false/ fake documents, bid rigging, bid steering or coercion) by the Bidder, or any one employed by him, or acting on his/her behalf (whether with or without the knowledge of the Bidder), shall be dealt as per the terms and conditions of the contract and other provisions of the relevant laws, including Debarment Rules.
- 6.2 The breach of the IP or commission of any offence by the officials of the procuring agency shall be dealt as per the rules and laws of the land in vogue

7. Monitoring and Administration:

- 7.1 The respective procuring agency shall be responsible for the administration and monitoring of the IP as per the relevant laws.
- 7.2 The bidder shall have the right to appeal as per the arbitration mechanism contained in the relevant rules.

We, hereby declare that we have read and understood the clauses of this agreement and shall abide by it.

The parties hereby sign this Integrity Pact at (place) _____ on (date) _____

Affix
Legal
Stamp

Affix
Legal
Stamp

PROCURING AGENCY

CID

Witness

Name

CID

BIDDER/REPRESENTATIVE

CID:

Witness:

Name:

CID:

